

MAKINGTEC®

- ▶ Laser Distance Meter
- ▶ Laser level
- ▶ Drywall Sander
- ▶ Hand Mixer
- ▶ Wall chaser
- ▶ Airless paint speayer.....

MAKING HOUSE INTO HOME

把房子变成家



ELETRIC AIRLESS PAINT SPRAYER

MK-495A(1300W)
MK-595A(2200W)

BRUSHLESS

- Brushless DC motors
- Vertical design helps eliminate spills.
- Filters from the inside
- Hardened steel gears run extremely quiet
- FastFlush High-flow cleaning system



DESCRIPTION:

Power :	1300W (2200W)
Motor HP(W):	1.75HP (2.9HP)
Voltage:	220V-240V/110-127V
Frequency:	50Hz/60Hz
Max Pressure:	23Mpa
Maximum Delivery :	2.3 L/min (2.8 L/min)
Maximum Tip Size:	0.021 in (0.023in)
Fluid Outlet:	1/4 in
G.W./N.W.:	30/22KG
Cartom size:	47.5x42x54.5cm
Container:	300pcs/20"
Parts:	Hose/Gun/ Tip/Tip guard/Extension pole

STANDARD PARTS:



ELETRIC AIRLESS PAINT SPRAYER

MK-495B (1300W)
MK-595B(2200W)

BRUSHLESS

- Brushless DC motors
- Vertical design helps eliminate spills.
- Filters from the inside
- Hardened steel gears run extremely quiet
- FastFlush High-flow cleaning system



DESCRIPTION:

Power :	1300W (2200W)
Motor HP(W):	1.75HP (2.9HP)
Voltage:	220V-240V/110-127V
Frequency:	50Hz/60Hz
Max Pressure:	23Mpa
Maximum Delivery :	2.3 L/min (2.8 L/min)
Maximum Tip Size:	0.021 in (0.023in)
Fluid Outlet:	1/4 in
G.W./N.W.:	30/22KG
Cartom size:	47.5x42x54.5cm
Container:	300pcs/20"
Parts:	Hose/Gun/ Tip/Tip guard/Extension pole

STANDARD PARTS:



ELETRIC AIRLESS PAINT SPRAYER

M819A

cost-effective

Feature:

- 1)Lightweight and easy to carry small size allows for easy storage
- 2)Suction power for high viscosity materials
- 3)The long piston rod and low position of inlet Valve generates higher
- 4)By the gun to release the pressure atomization and less flying



DESCRIPTION:

Power:	900W
Motor HP(W):	1.2 HP
Voltage:	220V-240V/110-127V
Frequency:	50Hz/60Hz
Max Pressure	20Mpa
Maximum Delivery:	1.9 L/min
Maximum Tip Size:	0.019 in
Fluid Outlet:	1/4 in
G.W./N.W.	29/26KG
Carton size:	45.5*44.5*61.5CM
Container:	215pcs/20"
Parts:	Hose/Gun/Tip/Tip guard

STANDARD PARTS:



ELETRIC AIRLESS PAINT SPRAYER

DF330

COST-EFFECTIVE

Feature:

- 1)1500W large power motor
- 2)paint can quickly adhere to the surface of the object
- 3)This paint sprayer is highly portable
- 4)High hardness and high wear resistant metal parts



DESCRIPTION:

Power:	1500W
Motor HP(W):	2HP
Voltage:	220V-240V/110-127V
Frequency:	50Hz/60Hz
Max Pressure	20Mpa
Maximum Delivery:	4 L/min
Maximum Tip Size:	0.025 in
Fluid Outlet:	1/4 in
G.W./N.W.	38/36KG
Carton size:	57.5x47x53.5cm
Container:	200pcs/20"
Parts:	Hose/Gun/Tip/Tip guard

STANDARD PARTS:



ELETRIC AIRLESS PAINT SPRAYER

DF325A

COST-EFFECTIVE

Feature:

- 1) Easy to carry with wheel barrow
- 2) Simple operation easy pressure adjusting knob
- 3) High pressure and high penetrability
- 4) Make the machine work efficiently no matter low or high speed



DESCRIPTION:

Power:	1100W
Motor HP(W):	1.5HP
Voltage:	220V-240V/110-127V
Frequency:	50Hz/60Hz
Max Pressure	25Mpa
Maximum Delivery:	4 L/min
Maximum Tip Size:	0.025 in
Fluid Outlet:	1/4 in
G.W./N.W.	50/48KG
Carton size:	67x53x54.5cm
Container:	150pcs/20"
Parts:	Hose/Gun/Tip/Tip guard

STANDARD PARTS:



ELETRIC AIRLESS PAINT SPRAYER

DF431

Heavy

Feature:

- 1) 2200W large Power motor
- 2) Perfect uniform coating, it leaves no streaks on surface
- 3) Stainless steel rack makes the machine firm stand
- 4) Suitable for any common painting materials



DESCRIPTION:

Power:	2200W
Motor HP(W):	2.5HP
Voltage:	220V-240V/110-127V
Frequency:	50Hz/60Hz
Max Pressure	25Mpa
Maximum Delivery:	8 L/min
Maximum Tip Size:	0.035 in
Fluid Outlet:	1/4 in
G.W./N.W.	75/61KG
Carton size:	81x58x63cm
Container:	100pcs/20"
Parts:	Hose/Gun/Tip/Tip guard

STANDARD PARTS:



GAS AIRLESS PAINT SPRAYER

DF530



Feature:

- 1)Excellent surface quality
- 2)High viscosity and high penetrability
- 3)High quality engine (4.5HP) provide guaranteed satisfied quality and powerful
- 4)Exceptional durability long life and dependable performance



DESCRIPTION:

Power:	3600W
Motor HP(W):	4.5HP
Voltage:	220V-240V/110-127V
Frequency:	50Hz/60Hz
Max Pressure	22.5Mpa
Maximum Delivery:	4 L/min
Maximum Tip Size:	0.025 in
Fluid Outlet:	1/4 in
G.W./N.W.	66/52KG
Carton size:	66x53.5x73.3cm
Container:	100pcs/20"
Parts:	Hose/Gun/Tip/Tip guard

STANDARD PARTS:



AIRLESS PAINT SPRAYER ACCESSORY

