

MAKINGTEC®

- ▶ Laser Distance Meter
- ▶ Laser level
- ▶ Drywall Sander
- ▶ Hand Mixer
- ▶ Wall chaser
- ▶ Airless paint speayer.....

MAKING HOUSE INTO HOME

把房子变成家



DRYWALL SANDER

ZS-180A

Handy



FEATURES


- 1) Light weight
- 2) Effective dust extraction
- 3) Backing pad with hook and loop face
- 4) Improve work efficiency, 6 times than hand sanding



DESCRIPTION:

Model No	ZS-180A
Rated voltage	110-127V 220-240V
Frequency	50/60Hz
Rated input power	800W
No load speed	1200-2300rpm
Sanding disc Dia	Φ180mm
Sanding pad Dia	Φ190mm
Dust extractor Dia	Φ32mm
Machine weight	2.2kgs
Color box measurement	62*32*54cm/4pcs
N.W/G.W	9/16kgs
QTY 20'/40'/40'H	1000/2000/2480pcs

STANDARD PARTS:



DRYWALL SANDER

MK-180B

Handy



FEATURES

- 1) Single fan blade for dust absorption.
- 2) Side handle for strong balance
- 3) Self suction machine, no need vacuum cleaner
- 4) Shock-reduction grinding pad



DESCRIPTION:

Model No	MK-180B
Voltage	110-120V 220-240V
Frequency	50/60Hz
Rated input power	710W
No load speed	1200-3000rpm
Sanding motion	Rotation grinding pad
Sandpaper Diameter	180mm
Weight	2.3kgs
Package size	58*34*57cm/4pcs
N.W/G.W	9.2/11.5kg
20'/40'/40'H	976/1919/2426pcs

STANDARD PARTS:



DRYWALL SANDER

MK-180D

Handy



FEATURES

- 1) single fan blade for dust absorption
- 2) Shock-reduction grinding pad
- 3) Side handle for strong balanced
- 4) Support LED light

CE



Detachable design



operation



Packing

DESCRIPTION:

Model No	MK-180D
Voltage	110-120V 220-240V
Frequency	50/60Hz
Input power	710W
No-load speed	1000-3000rpm
Sanding motion	Rotating
Diameter	180mm
Sandpaper diameter	180mm
Weight	2.3kg
Package	4pc
Size	49.5*37*55cm
QTY 20'/40'/40'H	1080/2220/2620pcs

STANDARD PARTS:



6PC
SANDING PAPER



1PC
S5 WRENCH



1 PAIR
CARBON BRUSH



1PC
SIDE HANDLE



1PC CLOTH BAG



2PC
CONNECTION ADAPTER

DRYWALL SANDER

ZS-180EL

Handy



FEATURES

- 1) Easy to use on small and tight space
- 2) Self suction, no Vacuum cleaner needed
- 3) Super bright LED for precise working
- 4) Easy and safe handling on-off switch for LED light
- 5) Soft grip handle, more comfortable operation

Intertek GS CE UK



LED light



operation



packing

DESCRIPTION:

Model No	ZS-180EL
Rated voltage	110-127V 220-240V
Frequency	50/60Hz
Rated input power	800W
No load speed	1200-2300rpm
Sanding disc Dia	180mm
Sanding pad Dia	190mm
Dust extractor Dia	32mm
Machine weight	2.2kgs
Color box measurement	62*32*54cm/4pcs
N.W/G.W	9/16kgs
QTY 20'/40'/40'H	1000/2000/2480pcs

STANDARD PARTS:



1 PAIR
CARBON BRUSH



1PC
S5 WRENCH



6PC
SANDING PAPER



1PC
2M HOSE



1PC
SIDE HANDLE



1PC
DUST BAG



1PC
CONNECTION ADAPTER
57/35MM



4PC
IRON WASHERS

DRYWALL SANDER

MK-230B



FEATURES

- 1) 6 gears for drywall sander
- 2) External carbon brush design for easily change
- 3) Soft switch
- 4) Soft handle, more comfortable to use.



DESCRIPTION:

Model No	MK-230B
Power	710W
Voltage	230V/110V
Frequency	50/60Hz
Speed	0-1200r/min
Pad size	230mm
Product length	1700mm
Packing quantity	1pc
G.W/N.W	3.84/7.464kgs
Carton size	131*27*22cm
QTY 20'/40'/40'H	350/720/860

STANDARD PARTS:



1 PAIR
CARBON BRUSH



1PC
1M HOSE



6PC
SANDING PAPER



1PC
CONNECTION ADAPTER
57MM 35MM



Detachable design



Operation



Carton/ BMC (optional)

DRYWALL SANDER

MK-2300C



FEATURES

- 1) High quality motor
- 2) Improve work efficiency, 5 times than manual grinding
- 3) Strong dust collection effect
- 4) Controlable speed button for adjusting speed



DESCRIPTION:

Model No	MK-2300C
Volatge	110-120V 220-240V
Frequency	50/60Hz
Rated power	600W
No-load speed	000-2000r/min
Diameter of grinding disc	225mm
Package	1pc
Size	163.5*26*25cm
N.W/G.W	5.6/7.6kgs
QTY20'/40'/40'H	240/510/600pcs



rear motor,
flexible shaft drive




operation



Carton/portable bag (optional)

STANDARD PARTS:



1 PAIR
CARBON BRUSH



1PC
4M HOSE



6PC
SANDING PAPER



1PC
OF SCREW DRIVER



2PC
CONNECTION ADAPTER



1 PC
INTERNAL HEXAGONAL WRENCH

DRYWALL SANDER

MK-2300L



FEATURES

- 1) High quality motor, double gears system
- 2) Adjustable suction for easy grinding wall and ceiling
- 4) Strong dust collection effect
- 5) Controlable speed button for adjusting speed.
- 6) Comfortable use with soft grip handle.



LED light(optional)



operation



carton packing

DESCRIPTION:

Model No	MK-2300L
Voltage:	110-120V / 220-240V
Frequency	50/60Hz
Rated input power	10W
No-load speed	MAX 1700rpm
Diameter of grinding disc	225mm
Package	1pc
Size	153*28*25cm
N.W/G.W	4.5/7.5kgs
20'/40'/40'H	250/520/615pcs

STANDARD PARTS:



1 PAIR
CARBON BRUSH



1PC
4M HOSE



6PC
SANDING PAPER



1PC
OF SCREW DRIVER



2PC
CONNECTION ADAPTER



1PC
HEXAGONAL WRENCH




DRYWALL SANDER

MK-225B



FEATURES

- 1) High quality motor
- 2) Product length can be 175cm
- 3) Folded design to transport more effortlessly
- 4) variable speed, comfortable use with soft grip handle
- 5) Strong dust collection effect



folded design



operation




packing

DESCRIPTION:

Model No	MK-225B
Voltage	110-120V 220-240V
Frequency	50/60Hz
Rated input power	710W
No-load speed	700-1700r/min
Diameter of grinding	225mm
Short length	125mm
Long length	160mm
Package	1pc/carton
Size	71.2*28.5*25.3cm
N.W/G.W	4.2/6.5kgs
QTY 20'/40'/40'H	520/1090/1285pcs

STANDARD PARTS:



1 PAIR
CARBON BRUSH



1PC
4M HOSE



6PC
SANDING PAPER



1PC
OF SCREW DRIVER



2PC
CONNECTION ADAPTER



1PC
HEXAGONAL WRENCH



DRYWALL SANDER

L-225CL


Folded

FEATURES

- 1) Innovative foldable design
- 2) 7W LED light
- 3) Variable speed, dust proof on/off switch
- 4) Adjustable suction power decreases the perceived weight
- 5) Peg stop spring for easy ceiling standing



LED light



operation



BMC/ color box (optional)

DESCRIPTION:

Model No	L-225CL
Rated voltage	110-127V/220-240V
Frequency	50Hz/60Hz
Rated input power	710W
No load speed	800-1700rpm
Sanding disc Dia	Ø225mm
Sanding pad Dia	Ø215mm
Dust exreactor Dia	Ø32mm
machine weight:	4.0Kgs
box measurement:	73*31*55cm/2pcs
N.W/G.W:	10/13.5kgs
QTY 20'/40'/40'H:	460/920/1080pcs

STANDARD PARTS:



DRYWALL SANDER

ZL-225B


LED

FEATURES


- 1) 3.8W LED light
- 2) Two speed gears for efficient removal
- 3) Detachable brush segment for corner
- 4) Adjustable suction power
- 5) Dust proof on/off switch with self locking



Self suction



operation



Color box/ portable bag(optional)

DESCRIPTION:

Model No	ZL-225B
Rated voltage	110-127V/220-240V
Frequency	50Hz/60Hz
Rated input power	800W
No load speed	800-1800rpm
Sanding disc Dia	Ø225mm
Sanding pad Dia	Ø215mm
Dust exreactor Dia	Ø32mm
machine weight:	4.2Kgs
Measurement	126*29*25cm/1pc
N.W/G.W	5.5/7.3KGS
Qty 20'/40'/40'H	310/620/740pcs

STANDARD PARTS:



ELECTRIC WALL PLANER

MK-1200A



efficient



FEATURES

- 1) plane wall surface speed as 1.5m²/min
- 2) help worker save time and improve efficiency
- 3) Easily to planer the corner and edge of wall
- 4) Accept to connect with vacuum cleaner

CE



DESCRIPTION:

Model No.	MK-1200A
Rated voltage	230V/110V
Frequency	50Hz/60Hz
Power	1200W
No-load speed	2200r/min
Grooving depth adjustment	1-3.5mm
Grooving width adjustment	15cm
Blade:	25pcs(7pcs)
N.W/G.W.	6.8/10.5KGS
Packing model	BMC
Packing size/pcs	66*36*47m/3pcs

STANDARD PARTS:

