

- ▶ Laser Distance Meter
- Laser level
- ▶ Drywall Sander
- ► Hand Mixer
- ▶ Wall chaser
- ▶ Airless paint speayer.....



MAKING HOUSE INTO HOME

把房子变成家










HAND MIXER

HM-210(950W)



► A SIX ELECTRIC SPEED ADJUSTABLE

► ERGONOMIC DESIGNED WITH FOUR PROTECT RUBBER

► M14 TOOL CONNECTION













Power:	950W
Rated:	230V/110V
Frequency:	50Hz/60Hz
Speed:	0-1100min
Paddle:	K2 D:120mm
_ength:	590mm
Packing Q'ty:	4pcs
G.W./N.W:	18.5/14.5kgs
Tool-connection:	M14
Colour box:	36.5x27.5x18.5cm
Master box:	57x38x39cm
Container :	1400pcs/20' 2900pcs/40'


















HM-120A(1200W) HM-120A2(1400W)



- ▶ FFU TEST VERY GOOD
- ▶ 6 ELECTRIC SPEED ADJUSTABLE
- ▶ REMOVING PADDLE EASILY
















Power:	1200W/1400W
Rated:	230V/110V
Frequency:	50Hz/60Hz
Speed:	1:0-700min
Paddle:	K3 D:120mm
Length:	590mm
Packing Q'ty:	4pcs
G.W./N.W:	23/20kgs
Tool-connection:	M14
Colour box:	33.5x23x29cm
Master box:	48x35x60cm
Container:	1200pcs/20' 2400pcs/40'

HAND MIXER

HM-130A(1200W) HM-130A2(1400W)



- FFU TEST VERY GOOD.
- ▶ 2-GEAR SPEED DESIGN.
- ► REMOVING PADDLE EASILY















Power:	1200W/1400W
Rated:	230V/110V
Frequency:	50Hz/60Hz
Speed:	I:0-500min II:0-700min
Paddle:	K3 D:120mm
Length:	590mm
Packing Q'ty:	4pcs
G.W./N.W:	23/20kgs
Tool-connection:	M14
Colour box:	33.5x23x29cm
Master box:	48x35x60cm
Container:	1200pcs/20' 2400pcs/40'





















HM-120B/C(1200W)



- ▶ FFU TEST VERY GOOD.
- ▶ ERGONOMIC DESIGNED WITH FOUR PROTECT RUBBER
- ▶ REMOVING PADDLE EASILY






















STANDARD ACCESSORIES:



HAND MIXER

HM-130C(1200W)



- ▶ 2-GEAR SPEED.
- ▶ FFU TEST VERY GOOD
- ▶ ERGONOMIC DESIGNED WITH FOUR PROTECT RUBBER



















Container:



1200pcs/20' 2400pcs/40'







HM-30(1200W) HM-30A(1400W)

- ▶ ERGONOMIC DESIGNED
- ▶ SPECIAL VENTILATION DESIGN
- ▶ A SIX ELECTRIC SPEED ADJUSTABLE
- ▶ 2-GEAR SPEED















DESCRIPTION: 1200W/1400W 230V/110V 50Hz/60Hz Power Rated Frequency Speed I:0-580min II:0-810min Paddle K3 D:120mm Length 590mm Packing Q'ty G.W./N.W 2pcs 14/12kgs Chuck or M14

Colour box 37x32x24.5cm Master box 39x33x51cm Container 900pcs/20' 1860pcs/40'






Tool-connection



HAND MIXER

HM-150C(1400W)



- ▶ DUAL SPEED
- ▶ A SIX-SPEED SPEED ADJUSTABLE
- ► THREAD DIMENSION M14/QUICK RELEASE





DESCRIPTION:		
Power:	1400W	
Rated:	230V/110V	
Frequency:	50Hz/60Hz	
Speed:	1:0-580min II:0-800min	
Paddle:	P1	
Length:	570mm	
Packing Q'ty:	2pcs	
G.W./N.W:	18/14kgs	
Tool-connection:	insert screw coupling	
Colour box:	59x32x25cm	
Master box:	61x34x52cm	
Container:	480ncs/20' 960ncs/40'	












HM-140(1600W) HM-1401(1800W)



- POWERFUL TORQUE FOR MIXING DIFFERENT MATERIAL.
- ▶ REMOVING PADDLE EASILY
- ▶ 2-GEAR SPEED
















DESCRIPTION:	
Power:	1600W/1800W
Rated:	230V/110V
Frequency:	50Hz/60Hz
Speed:	I:0-380min II:0-660min
Paddle:	K3 D:140mm
Length:	590mm
Packing Q'ty:	2pcs
G.W./N.W:	17/12kgs
Tool-connection:	M14
Colour box:	42x32x26cm
Master box:	44x33x54cm
Container :	740pcs/20' 1550pcs/40'





HAND MIXER

HM-160(1600W) HM-1601(1800W)



- ▶ 2-GEAR SPEED DESIGN.
- ▶ 1600W -1800W STRONG POWER.
- ▶ REMOVING PADDLE EASILY









450pcs/20' 924pcs/40'









ower:	1600W/1800W	
tated:	230V/110V	
requency:	50Hz/60Hz	
peed:	1:0-390min II:0-690min	
addle:	P1	
ength:	570mm	
acking Q'ty:	2pcs	
s.W./N.W:	18.6/15kgs	
ool-connection:	M14	
colour box:	59x32x25cm	
faster box:	61x34x52cm	














HM-140C1(1200W)

HM-140C2(2000W)

HM-140C3(1800W)



- ▶ 2000W POWER
- ▶ 2-GEAR SPEED
- ▶ SPECIAL VENTILATION DESIGN

















DESCRIPTION	
Power:	1200W/1600W/1800W
Rated:	230V/110V
Frequency:	50Hz/60Hz
Speed:	I:150-300min II:300-650min
Paddle:	K4 D:140mm
Length:	590mm
Packing Q'ty:	2pcs
G.W./N.W:	19/18kgs
Tool-connection:	M14
Colour box:	45x38x26.5cm
Master box:	46x39x55cm
Container:	550pcs/20' 1150pcs/40'





STANDARD ACCESSORIES:





BUCKET MIXER

HM-80(370W)

- Size of mixing tube:65litres
- Capacity:approx.50litres
- Power rating:370W
- Power supply:230V/50Hz 110V60Hz
- Speed:55rpm
- Dimensions:66x59x56cm
- G.W/N.W:44.3/26.6kgs
- 128pcs/20' 260pcs/40'
- paddle:T1 φ400mm
- Tool connection:M14





